

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Detcon Inc.	Manufacturer:	Detcon Inc.
Address:	3200 Research Forest Dr. The Woodlands, TX 77381	Address:	3200 Research Forest Dr. The Woodlands, TX 77381
Country:	USA	Country:	USA
Contact:	Mr. Bob Masi	Contact:	Mr. Bob Masi
Phone:	(281) 367-4100	Phone:	(281) 367-4100
FAX:	NA	FAX:	NA
Email:	bobmasi@detcon.com	Email:	bobmasi@detcon.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Cortland, NY

Control Number: 4000671 **Authorized by:** *Patricia Russo*
for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
 165 Main Street, Cortland, NY 13045
 Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations (UL 1203 4th Ed. with revisions through October 28, 2009) Explosion-Proof Enclosures for Use in Class I Hazardous Locations (CSA-C22.2 No. 30-M1986, Including General Instruction No. 2 November 1988, Reaffirmed 2003) Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations (UL 913 7th Ed. with revisions through August 12, 2008) Intrinsically Safe and Non-incendive Equipment for Use in Hazardous Locations (CAN/CSA-C22.2 No. 157-92, Including Update No. 2 June 2003, Reaffirmed 2006)
Product:	Wireless Transceiver For Use In: Class I, Division 1, Groups C and D Hazardous Locations Temperature Code: T4 Ambient Temperature Range: -40°C to +75°C Um = 30V
Models:	RXT-300